Author index

Abe, J. *see* Lux, A.

Abou-Shanab, R.A., Angle, J.S., Delorme, T.A., Chaney, R.L., van Berkum, P., Moawad, H., Ghanem, K. & Ghozlan, H.A. Rhizobacterial effects on nickel extraction from soil and uptake by *Alyssum murale*, 219

Alesandrini, F., Mathis, R., Van de Sype, G., Hérouart, D. & Puppo, A. Possible roles for a cysteine protease and hydrogen peroxide in soybean nodule development and senescence, 131

Anderson, L.J., Comas, L.H., Lakso, A.N. & Eissenstat, D.M. Multiple risk factors in root survivorship: a 4-year study in Concord grape, 489

Angle, J.S. *see* Abou-Shanab, R.A.

Arredondo, J.T. & Schnyder, H. Components of leaf elongation rate and their relationship to specific leaf area in contrasting grasses, 305

As, H.V. *see* Kamenetsky, R.

Van Assche, J.A., Debucquoy, K.L.A. & Rommens, W.A.F. Seasonal cycles in the germination capacity of buried seeds of some Leguminosae (*Fabaceae*), 315

Barbour, M.M. & Whitehead, D. A demonstration of the theoretical prediction that sap velocity is related to wood density in the conifer *Dacrydium cupressinum*, 477

Bazot, S. *see* Guéritaine, G.

Bendel, P. *see* Kamenetsky, R.

Bertea, C. *see* Mucciarelli, M.

van Berkum, P. *see* Abou-Shanab, R.A.

Bilger, W. *see* Solhaug, K.A.

Bollard, A.L. *see* Kingston-Smith, A.H.

Brodribb, T.J. & Holbrook, N.M. Changes in leaf hydraulic conductance during leaf shedding in seasonally dry tropical forest, 295

Brookes, J.D., Regel, R.H. & Ganf, G.G. Changes in the photochemistry of *Microcystis aeruginosa* in response to light and mixing , 151

Brooks, A.E. *see* Kingston-Smith, A.H.

Carpena, R.O. *see* Esteban, E.

Casson, S.A. & Lindsey, K. Genes and signalling in root development, 11

Chaney, R.L. *see* Abou-Shanab, R.A.

Chardonnens, A.N. *see* Cho, M.

Cheplick, G.P. & Cho, R. Interactive effects of fungal endophyte infection and host genotype on growth and storage in *Lolium perenne*, 183

Cho, M., Chardonnens, A.N. & Dietz, K.-J. Differential heavy metal tolerance of *Arabidopsis halleri* and *Arabidopsis thaliana*: a leaf slice test, 287

Cho, R. *see* Cheplick, G.P.

Comas, L.H. *see* Anderson, L.J.

Dakora, F.D. Defining new roles for plant and rhizobial molecules in sole and mixed plant cultures involving symbiotic legumes, 39

Damesin, C. Respiration and photosynthesis characteristics of current-year stems of *Fagus sylvatica*: from the seasonal pattern to an annual balance, 465

Dancer, J. *see* Griffiths, R.G.

Dancer, J. *see* Griffiths, R.G.

Darmency, H. *see* Guéritaine, G.

Darrah, P.R. *see* Tlalka, M.

Debucquoy, K.L.A. *see* Van Assche, J.A.

Declerck, S. *see* Rufyikiri, G.

Delfine, S. *see* Di Martino, C.

Delorme, T.A. *see* Abou-Shanab, R.A.

Dengler, N. *see* Kang, J.

Desjardins, Y. *see* Nkoa, R.

Di Martino, C., Delfine, S., Pizzuto, R., Loreto, F. & Fuggi, A. Free amino acids and glycine betaine in leaf osmoregulation of spinach responding to increasing salt stress, 455

Dietz, K.-J. *see* Cho, M.

Donnelly, P. *see* Kang, J.

Duncan, R.P. *see* Dungan, R.J.

Dungan, R.J., Duncan, R.P. & Whitehead, D. Investigating leaf lifespans with interval-censored failure time analysis, 593

Eissenstat, D.M. *see* Anderson, L.J.

Ellis, D.R., López-Millán, A.F. & Grusak, M.A. Metal physiology and accumulation in a *Medicago truncatula* mutant exhibiting an elevated requirement for zinc, 207

Esteban, E., Carpena, R.O. & Meharg, A.A. High-affinity phosphate/arsenate transport in white lupin (*Lupinus albus*) is relatively insensitive to phosphate status, 165

Falster, D.S. & Westoby, M. Leaf size and angle vary widely across species: what consequences for light interception?, 509

Finch-Savage, W.E. *see* Rowse, H.R.

Fricker, M.D. *see* Tlalka, M.

Fuggi, A. *see* Di Martino, C.

Fuhrer, J. *see* Jäggi, M.

Futsaether, C.M. *see* Prytz, G.

Futsaether, C.M. *see* Prytz, G.

Ganf, G.G. *see* Brookes, J.D.

Gauslaa, Y. *see* Solhaug, K.A.

Ghanem, K. *see* Abou-Shanab, R.A.

Ghozlan, H.A. *see* Abou-Shanab, R.A.

Griffiths, R.G., Dancer, J., O'Neill, E. & Harwood, J.L. A mandelamide pesticide alters lipid metabolism in *Phytophthora infestans*, 345

Griffiths, R.G., Dancer, J., O'Neill, E. & Harwood, J.L. Effect of culture conditions on the lipid composition of *Phytophthora infestans*, 337
Grusak, M.A. *see* Ellis, D.R.
Guéritaine, G., Bazot, S. & Darmency, H. Emergence and growth of hybrids between *Brassica napus* and *Raphanus raphanistrum*, 561

Harwood, J.L. *see* Griffiths, R.G.
Harwood, J.L. *see* Griffiths, R.G.
Hattori, T. *see* Lux, A.
Hensman, D. *see* Tlalka, M.
Hérouart, D. *see* Alesandrini, F.
Hogetsu, T. *see* Nara, K.
Hol, W.H.G., Vrieling, K. & van Veen, J.A. Nutrients decrease pyrrolizidine alkaloid concentrations in *Senecio jacobaea*, 175
Holbrook, N.M. *see* Brodribb, T.J.
Holdenrieder, O. *see* Prospero, S.
Honegger, R. *see* Scherrer, S.

Inanaga, S. *see* Lux, A.
Isnard, S., Speck, T. & Rowe, N.P. Mechanical architecture and development in *Clematis*: implications for canalised evolution of growth forms, 543

Jäggi, M., Saurer, M., Fuhrer, J. & Siegwolf, R. Seasonality of $\delta^{18}O$ in needles and wood of *Picea abies*, 51
Joffre, R. *see* Staudt, M.
Johnsson, A. *see* Prytz, G.
Johnsson, A. *see* Prytz, G.
Jones, R.I. *see* Millett, J.
Jönsson, U., Jung, T., Rosengren, U., Nihlgård, B. & Sonesson, K. Pathogenicity of Swedish isolates of *Phytophthora quercina* to *Quercus robur* in two different soils, 355
Jumpponen, A. Soil fungal community assembly in a primary successional glacier forefront ecosystem as inferred from rDNA sequence analyses, 569
Jung, T. *see* Jönsson, U.

Kai, M. *see* Wasaki, J.
Kamenetsky, R., Zemah, H., Ranwala, A.P., Vergeldt, F., Ranwala, N.K., Miller, W.B., As, H.V. & Bendel, P. Water status and carbohydrate pools in tulip bulbs during dormancy release, 109
Kang, J., Tang, J., Donnelly, P. & Dengler, N. Primary vascular pattern and expression of *ATHB-8* in shoots of *Arabidopsis*, 443
Kelly, C.K. *see* Lusk, C.H.
Kingston-Smith, A.H., Bollard, A.L., Thomas, B.J., Brooks, A.E. & Theodorou, M.K. Nutrient availability during the early stages of colonization of fresh forage by rumen micro-organisms, 119
Koide, R.T. & Wu, T. Ectomycorrhizas and retarded decomposition in a *Pinus resinosa* plantation, 401

Lakso, A.N. *see* Anderson, L.J.
Lindsey, K. *see* Casson, S.A.
Lombi, E. *see* Robinson, B.H.
López-Millán, A.F. *see* Ellis, D.R.
Loreto, F. *see* Di Martino, C.
Lukjanova, A. *see* Niinemets, Ü.
Lusk, C.H. & Kelly, C.K. Interspecific variation in seed size and safe sites in a temperate rain forest, 535
Lux, A., Luxová, M., Abe, J., Tanimoto, E., Hattori, T. & Inanaga, S. The dynamics of silicon deposition in the sorghum root endodermis, 437
Luxová, M. *see* Lux, A.

Ma, J.F. *see* Tamai, K.
Maffei, M. *see* Mucciarelli, M.
Manetas, Y. The importance of being hairy: the adverse effects of hair removal on stem photosynthesis of *Verbascum speciosum* are due to solar UV-B radiation, 503
Mathis, R. *see* Alesandrini, F.
McGrath, S.P. *see* Robinson, B.H.
Meharg, A.A. *see* Esteban, E.
Miller, W.B. *see* Kamenetsky, R.
Millett, J., Jones, R.I. & Waldron, S. The contribution of insect prey to the total nitrogen content of sundews (*Drosera* spp.) determined *in situ* by stable isotope analysis, 527
Moawad, H. *see* Abou-Shanab, R.A.
Mucciarelli, M., Scannerini, S., Bertea, C. & Maffei, M. *In vitro* and *in vivo* peppermint (*Mentha piperita*) growth promotion by nonmycorrhizal fungal colonization, 579

Nakaya, H. *see* Nara, K.
Nara, K., Nakaya, H. & Hogetsu, T. Ectomycorrhizal sporocarp succession and production during early primary succession on Mount Fuji, 193
Nihlgård, B. *see* Jönsson, U.
Niinemets, Ü. & Lukjanova, A. Total foliar area and average leaf age may be more strongly associated with branching frequency than with leaf longevity in temperate conifers, 75
Nilsson, L.O. & Wallander, H. Production of external mycelium by ectomycorrhizal fungi in a norway spruce forest was reduced in response to nitrogen fertilization, 409
Nkoa, R., Desjardins, Y. & Tremblay, N. Glutamine synthetase in broccoli (*Brassica oleracea*) is regulated *in vivo* by reciprocal cooperativity, 139
Nybakken, L. *see* Solhaug, K.A.

O'Neill, E. *see* Griffiths, R.G.
O'Neill, E. *see* Griffiths, R.G.
Osaki, M. *see* Wasaki, J.

Pizzuto, R. *see* Di Martino, C.
Prospero, S., Rigling, D. & Holdenrieder, O. Population structure of *Armillaria* species in managed Norway spruce stands in the Alps, 365
Prytz, G., Futsaether, C.M. & Johnsson, A. Self-sustained oscillations in plant water regulation: Induction of bifurcations and anomalous rhythmicity, 259

Prytz, G., Futsaether, C.M. & Johnsson, A. Thermography studies of the spatial and temporal variability in stomatal conductance of *Avena* leaves during stable and oscillatory transpiration, 249
Puppo, A. *see* Alesandrini, F.

Rambal, S. *see* Staudt, M.
Ranwala, A.P. *see* Kamenetsky, R.
Ranwala, N.K. *see* Kamenetsky, R.
Rauser, W.E. Phytochelatin-based complexes bind various amounts of cadmium in maize seedlings depending on the time of exposure, the concentration of cadmium and the tissue, 269
Regel, R.H. *see* Brookes, J.D.
Rigling, D. *see* Prospero, S.
Robinson, B.H., Lombi, E., Zhao, F.J. & McGrath, S.P. Uptake and distribution of nickel and other metals in the hyperaccumulator *Berkheya coddii*, 279
Rommens, W.A.F. *see* Van Assche, J.A.
Rosengren, U. *see* Jönsson, U.
Rowe, N.P. *see* Isnard, S.
Rowse, H.R. & Finch-Savage, W.E. Hydrothermal threshold models can describe the germination response of carrot (*Daucus carota*) and onion (*Allium cepa*) seed populations across both sub- and supra-optimal temperatures, 101
Rufyikiri, G., Thiry, Y. & Declerck, S. Contribution of hyphae and roots to uranium uptake and translocation by arbuscular mycorrhizal carrot roots under root-organ culture conditions, 391

Saurer, M. *see* Jäggi, M.
Scannerini, S. *see* Mucciarelli, M.
Scherrer, S. & Honegger, R. Inter- and intraspecific variation of homologous hydrophobin (*H1*) gene sequences among *Xanthoria* spp. (lichen-forming ascomycetes), 375
Schnyder, H. *see* Arredondo, J.T.
Shinano, T. *see* Wasaki, J.
Siegwolf, R. *see* Jäggi, M.
Solhaug, K.A., Gauslaa, Y., Nybakken, L. & Bilger, W. UV-induction of sun-screening pigments in lichens, 91
Sonesson, K. *see* Jönsson, U.
Speck, T. *see* Isnard, S.
Staudt, M., Joffre, R. & Rambal, S. How growth conditions affect the capacity of *Quercus ilex* leaves to emit monoterpenes, 61
Van de Sype, G. *see* Alesandrini, F.

Tamai, K. & Ma, J.F. Characterization of silicon uptake by rice roots, 431
Tang, J. *see* Kang, J.
Tanimoto, E. *see* Lux, A.
Theodorou, M.K. *see* Kingston-Smith, A.H.
Thiry, Y. *see* Rufyikiri, G.
Thomas, B.J. *see* Kingston-Smith, A.H.
Tlalka, M., Hensman, D., Darrah, P.R., Watkinson, S.C. & Fricker, M.D. Noncircadian oscillations in amino acid transport have complementary profiles in assimilatory and foraging hyphae of *Phanerochaete velutina*, 325
Tremblay, N. *see* Nkoa, R.

van Veen, J.A. *see* Hol, W.H.G.
Vergeldt, F. *see* Kamenetsky, R.
Vrieling, K. *see* Hol, W.H.G.

Waldron, S. *see* Millett, J.
Wallander, H. *see* Nilsson, L.O.
Wasaki, J., Yonetani, R., Shinano, T., Kai, M. & Osaki, M. Expression of the *OsPI1* gene, cloned from rice roots using cDNA microarray, rapidly responds to phosphorus status, 239
Watkinson, S.C. *see* Tlalka, M.
Westoby, M. *see* Falster, D.S.
Whitehead, D. *see* Barbour, M.M.
Whitehead, D. *see* Dungan, R.J.
Wu, T. *see* Koide, R.T.

Yonetani, R. *see* Wasaki, J.

Zemah, H. *see* Kamenetsky, R.
Zhao, F.J. *see* Robinson, B.H.

Keyword index

α-aminoisobutyrate, 325
Abies balsamea, 75
acidity, 355
active transport, 421
Alium cepa (onion), 101
allocation, 175
alpine dwarf willow (*Salix reinii*), 193
Alyssum murale, 207
amino acid transport, 325
anoxia, 119
apatite, 409
apocarpy, 234
Arabidopsis halleri, 287
Arabidopsis thaliana, 11, 287, 430, 443
arbuscular mycorrhizal (AM) fungus, 391
architecture, 509, 543
Aristotelia, 593
Armillaria cepistipes, 365
Armillaria ostoyae, 365
arsenate, 165
assimilation, 465
ATHB-8, 443
Avena sativa (oat), 249, 259

beech, 465
Berkheya coddii, 279
Beta vulgaris (red beet), 119
bifurcation ratio, 75
bifurcation, 259
bioavailability, 207, 426
biomechanics, 543
Brassica napus, 561
breeding, 9
broccoli (*Brassica oleracea*), 139

C : N ratio, 401
cadmium (Cd), 269
Calycophyllum candidissimum, 295
canalised evolution, 543
canopy dynamics, 75
carbohydrate, 119
carbohydrates, 183
carbon allocation, 424
carbon, 527
carnivorous plants, 527
cavitation, 295
Cd, 287
Cd-binding complexes, 269
cell differentiation, 11
cell division, 430
chaos, 259
chilling, 315
chlorophyll, 465
Clematis, 543
climate, 51
coexistence, 535
community structure, 401
compartmentation, 279
Concord grape (*Vitus labruscana*), 424
cooperative kinetics, 139
copper, 207
cysteine protease (CP), 131

Dacrydium cupressinum, 477
Daucus carota (carrot), 101
Deciduous, 593
decomposition, 229, 401
defoliation, 183
development and senescence, 131
diatoms, 421
digitising, 509
distribution, 175
DNA arrays, 238
dormancy, 109, 232, 315
Drosera intermedia, 527
Drosera rotundifolia, 527
dry matter content, 305
dry tropical forest, 295

early primary succession, 193
early- and late-wood, 51
ectomycorrhiza density, 401
ectomycorrhiza, 409
ectomycorrhizal fungi (ECM), 193
endodermis, 437
endophytes, 183
environmental DNA, 569
environmental influences, 61
environmental scanning electron microscope (ESEM), 437
Errera's rule, 430
essential oils, 579
evolution, 9
extramatrical mycelium, 409

fatty acids, 337
feedback inhibition, 139
fine roots, 424
fitness, 561
fluorescence, 465
fluorometry, 151
forest soil, 409
free amino acids, 455
fructan, 119
Fuchsia, 593
functional genomics, 9, 238
fungal community structure, 569
fungal succession, 193
fungi, 409, 569, 579

Gadgil effect, 229, 401
gene flow, 561
genetic diversity, 375
genets, 365
geophyte, 109
germination, 3, 101
glacier foreland, 569
glutamine synthetase, 139
glycerolipids, 337
glycine betaine, 455
glycine, 455
Gompertz function, 75
grasses, 421
grazing, 119
growth conditions, 337
growth form, 543
growth promotion, 579
growth rate, 9
guard mother cell, 430

H1 hydrophobin gene, 375
heavey metals, 6
heavy metal tolerance, 6, 287
heavy metals, 426
high performance anion exchange chromatography with pulsed amperometric detection (HPAE-PAD), 109
Hofmeister's rule, 430
holm oak (*Quercus ilex*), 61
homeostasis, 207
hydrogen peroxide (H_2O_2), 131
hydrothermal model, 3
hydrothermal time (HTT), 101
hyperaccumulation, 279
hyperaccumulation, 6
hypocotyl, 430

in vitro conditions, 391
in vitro culture, 579

infrared imaging, 249
inhibitor, 431
interaction, 365
interspecific hybrid, 561
iron, 207

kinetic parameters, 165
kinetics, 431

Langmuir circulation, 151
leaf elongation rate, 305
leaf endophytes, 579
Leaf growth zone, 305
leaf hydraulic conductance, 295
leaf litter, 535
leaf longevity, 75
leaf N concentration, 193
Leaf phenology, 593
leaf slice test, 287
leaf thickness, 305
leaf, 465
legumes, 39, 232, 315
lichen-forming fungi, 375
light interception, 509
light, 151
lipid composition, 337, 345
Lobaria pulmonaria, 91
Lolium perenne, 183
lumichrome, 39

magnetic resonance imaging (MRI), 109
maize (*Zea mays*), 269
manganese, 207
Medicago truncatula (barrel medic), 207
melanin, 91
mesic water regime, 355
metabolic modelling, 325
metabolic oscillations, 325
metabolism, 345
metal accumulation, 207
metal uptake, 219
methylation pathway, 345
microarray, 239
Microarrays, 238
Microcystis aeruginosa, 151
minirhizotron, 489
mixed plant cultures, 39
mixing, 151
molecular systematics, 375
monoterpenes, 61
mutant, 207
mycorrhizas, 229, 238, 426

needle organic matter, 51
New Zealand, 593
Ni, 287
nickel (Ni), 279
nitrate, 409
nitrogen fertilization, 409
nitrogen, 355, 465, 527
NMR, 109
Nod factors, 39
nod gene inducers, 39
Norway spruce (*Picea abies*), 51
nurse logs, 535
nutrients, 175
nutrition, 229

Oryza sativa (rice), 431
oscillations, 249, 259
osmotic adjustment, 455

P deficiency, 239
Papilionaceae, 315
parietin, 91
patchy conductance, 249
pathogens, 39
peppermint, 579
period doubling, 259
PGP-HSF *Mentha* isolate, 579
Phanerochaete velutina, 325
phase change, 443
phenology, 295
Phleum pratense (timothy grass), 119
phosphate, 165
phosphatidylcholine, 345
photoinhibition, 151
photoprotection, 503
photorespiration, 455
photosynthesis, 193
phyllotaxis, 443
physical dormancy, 232
phytochelatin, 6
phytochelatins, 269
phytoextraction, 279
Phytophthora infestans, 337, 345
Phytophthora quercina, 355
phytoremediation, 6
Picea abies (Norway spruce), 365
Picea abies, 75
Pinus sylvestris, 75
plant cell signalling, 11
plant water regulation, 259
plant–microbe interactions, 119, 238
plant–soil interactions, 426
pollen tube growth, 234
population structure, 365
postpollination events, 234
potato late blight, 337, 345
primary succession, 569
procambium, 443
programmed cell death (PCD), 131
proline, 455
proteoid roots, 165
pyrrolizidine alkaloids, 175

Quercus robur, 355
Raphanus raphanistrum, 561
rDNA (ITS1 and 2, 5.8S rDNA), 375
regrowth rate, 183
reproductive assurance, 234
respiration, 465
Rhedera trinervis, 295
rhizobia, 39
Rhizosphere, 219
rhizosphere, 426
Ri T-DNA transformed roots, 391
riboflavin, 39
riboregulator, 239
rice (*Oryza sativa*), 239
rice, 421
root browning, 489
root development, 11
root lifespan, 424, 489
root pig-mentation, 489
root survival, 489
root turnover, 489
root, 437
roots, 229, 269

salt stress, 455
sap velocity, 477
scaling transpiration, 477
secondary metabolism, 579
seed germination, 232
seed mass, 535
seed, 3
self-shading, 509
Senecio jacobaea (common ragwort), 175
senescence, 295
serial imprints, 430
serine, 455
shade tolerance, 535
shoots, 269
Si accumulator, 431
silica, 421
silicic acid, 421
silicon (Si) deposition, 437
silicon, 421
soil infestation, 355
soil, 426, 569
soilborne fungi, 365
Sorghum bicolor (sorghum), 437

soybean (*Glycine max*) nodule, 131
spatial distribution, 249
spatial pattern, 365
specific leaf area, 305
Spinacia oleracea (cv. Matador), 455
sporocarp production, 193
stable isotope analysis, 527
stable oxygen isotopes, 51
stem photosynthesis, 503
stem, 465
stomata, 430
stomatal conductance, 249
storage polysaccharides, 109
storage, 183
stratification, 315
stress resistance, 9
substrate inhibition, 139
sundews, 527
survival analysis, 593
syncarpy, 234

Teloschistaceae, 375
temperature and light acclimatization, 61
temperature, 3
threshold models, 101
TPSI1/Mt4 family, 239
trade-off, 9
transferase, 139
transpiration, 249, 259
transporter, 431
tree rings, 51
Tulipa, 109

uptake, 165, 431
uranium (U) uptake, 391
uranium translocation, 391
UV radiation, 91
UV-B radiation, 503

vacuole, 325
vascular pattern, 443
vascular sympodium, 443
Verbascum speciosum, 503
virtual osmotic potential (VOP), 101
Vitis labruscana (Concord grape), 489
volatile organic compound emissions, 61
volcanic desert, 193

water content, 401
water gap, 232
water polential, 3
water relations, 109
water transport, 477
weathering, 421
white lupin (*Lupinus albus*), 165
wood density, 477
woody plant physiology, 424

X-ray microanalysis, 437
Xanthoria parietina, 91
Xanthoria spp, 375

YPLANT, 509

zinc, 207
Zn, 287